



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5609994
Dated/दिनांक : 07-12-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	06-01-2025 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	06-01-2025 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Madhya Pradesh
Total Quantity/कुल मात्रा	97
Item Category/मद केटेगरी	Optical Fibre E32-D221B 2M 39 , PROXIMITY SENSOR E2S-W11 1M , Retro Reflective Laser sensor HEAD LVH62 , FIBER SENSOR HEAD LV-N11N , LEAKAGE BREAKER EW250RAGU-3P125C , BREAKER BW250EAGU-3P150 , BREAKER BW32AAG-2P015 , CIRCUIT PROTECTOR CP30FM-1P025 , CIRCUIT PROTECTOR CP30FM-1P015 , BREAKER BW50AAG-3P050 , LEAKAGE BREAKER EW32AAG2P10C 100mA , LEAKAGE BREAKER EW32AAG3P15C 100mA , MAGNETIC SWITCH SW-0 2E AC100V 0 point 95A , MAGNETIC SWITCH SW-0 2E AC100V 1 point 7A , MAGNETIC SWITCH SW-0 2E AC100V 2 point 8A , MAGNETIC SWITCH SW-0 2E AC100V 9A , MAGNETIC SWITCH SW-0RM 2E AC100V 0 point 8A , MAGNETIC SWITCH SW-0RM 2E AC100V 0 point 48A , MAGNETIC SWITCH SW-0 AC100V 0 point 15A , MAGNETIC SWITCH SW-0 2E AC100V 0 point 1A , AUXILIARY CONTACT SZ-A20 , CONTACTOR SC-N2 AC100V , Contactor KIT SC-0 , INTERLOCK UNIT SZ-RM , MAGNETIC CONTACTOR SC-4-1 AC100V , MAGNETIC CONTACTOR SH-4H 2a2b AC100V , Electromagnetic contactorSC-4-1 point AC200V , SOLID STATE CONTACTOR SS032-1-D5 F T , THERMAL RELAY TR-ON 0 point 15A , FUJI CONTACTOR SC-5-1 , Reflector R-7 , Breaker BW32AAG-2P030 , Circuit Protector CP30FM-2P015 , Breaker BW63EAG-3P060 , Breaker BW32AAG-3P030 , Breaker BW32AAG-3P020 , Breaker BW32AAG-3P010 , Magnetic Switch SW-N3 2E AC100V 28A , Magnetic Contactor SC-0 AC100V 1A , Magnetic Contactor SC-0 AC100V 1B , Solid State Relay RB105-DE , Relay SSR RE0D-DE DC24V , Thermal Relay TK-5-1NH 0 point 24A , Leakage Breaker EW32AAG-3P015A 100mA , Magnetic Switch SW-0 AC200V 1 point 7A , Magnetic Contactor SC20AA , Contactor SC-N3 , Illuminated pushbutton EAO 31-131 point 022

Bid Details/बिड विवरण

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Optical Fibre E32-D221B 2M 39, PROXIMITY SENSOR E2S-W11 1M, Retro Reflective Laser sensor(HEAD)LVH62, FIBER SENSOR HEAD LV-N11N, LEAKAGE BREAKER EW250RAGU-3P125C, BREAKER BW250EAGU-3P150, BREAKER BW32AAG-2P015, CIRCUIT PROTECTOR CP30FM-1P025, CIRCUIT PROTECTOR CP30FM-1P015, BREAKER BW50AAG-3P050, LEAKAGE BREAKER EW32AAG2P10C 100mA, LEAKAGE BREAKER EW32AAG3P15C 100mA, MAGNETIC SWITCH SW-0/2E,AC100V,0.95A, MAGNETIC SWITCH SW-0/2E,AC100V,1.7A, MAGNETIC SWITCH SW-0/2E,AC100V,2.8A, MAGNETIC SWITCH SW-0/2E,AC100V,9A, MAGNETIC SWITCH SW-0RM/2E,AC100V,0.8A, MAGNETIC SWITCH SW-0RM/2E,AC100V,0.48A, MAGNETIC SWITCH SW-0,AC100V,0.15A, MAGNETIC SWITCH SW-0/2E,AC100V,0.1A, AUXILIARY CONTACT SZ-A20, CONTACTOR SC-N2 AC100V, Contactor KIT (SC-0) FUJI Make, INTERLOCK UNIT (SZ-RM), MAGNETIC CONTACTOR SC-4-1,AC100V, MAGNETIC CONTACTOR SH-4H,(2a2b),AC100V, Electromagnetic contactorSC-4-1.AC200V, SOLID STATE CONTACTOR SS032-1-D5/F/T, THERMAL RELAY TR-0N , 0.15A, FUJI CONTACTOR SC-5-1, Reflector R-7, Breaker BW32AAG-2P030, Circuit Protector CP30FM-2P015, Breaker BW63EAG-3P060, Breaker BW32AAG-3P030, Breaker BW32AAG-3P020, Breaker BW32AAG-3P010, Magnetic Switch SW-N3/2E,AC100V,28A, Magnetic Contactor SC-0 AC100V 1A, Magnetic Contactor SC-0 AC100V 1B, Solid State Relay RB105-DE, Relay SSR RE0D-DE (DC24V), Thermal Relay TK-5-1NH 0.24A, Leakage Breaker EW32AAG-3P015A 100mA, Magnetic Switch SW-0 AC200V 1.7A, Magnetic Contactor SC20AA, Contactor SC-N3, Illuminated pushbutton EAO 31-131.022

Searched String: Optical Fibre E32-D221B 2M 39
Fiber Optic Patch Cord, ADSS Optical Fiber Cable (Defence), Chemical Splash Proof Goggle, Cables suitable for CCTV System (Accessories), books

Searched String: PROXIMITY SENSOR E2S-W11 1M
Inductive Proximity Sensor, Classroom Chairs, Waste Containers and Accessories - Domestic (V2), Bucket Mop Wringer Trolley, Public Place Seating Chair, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Stainless Steel Pole Mounted Stainless Steel Dustbin, Laminar air flow cabinets or stations, Rain Coat & Suit, Hot air oven

Searched String: Retro Reflective Laser sensor(HEAD)LVH62
Category not available on GeM for the text string uploaded by the buyer

Searched String: FIBER SENSOR HEAD LV-N11N
LVDT Sensor, books, Headrests, helmet combat fiberglass

Searched String: LEAKAGE BREAKER EW250RAGU-3P125C
Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester,

Bid Details/As per

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers for DC Operation, RCCB - Residual Current Operated Circuit - Breakers as per IS 12640, Static Protective Relays, Handloom Cotton Bed Sheets (V2) as per IS 745, Industrial Deep Freezer, Miniature Circuit Breakers Distribution Boards as per IS 13032

Searched String: BREAKER BW250EAGU-3P150

Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, SF6 Circuit Breaker, 72.5 kV (V2), Bucket Mop Wringer Trolley, Circuit Breaker Analyzer (Power Grid)

Searched String: BREAKER BW32AAG-2P015

Glass Ampoule Breaker, Waste Containers and Accessories - Domestic (V2), Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Bucket Mop Wringer Trolley, Rubber Speed Breaker, Laminar air flow cabinets or stations, SF6 Circuit Breaker, 72.5 kV (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: CIRCUIT PROTECTOR CP30FM-1P025

Bluetooth Speakers, Special Proofed Canvas / Duck as per IS 6803, Online UPS (V2), Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stainless Steel Pole Mounted Stainless Steel Dustbin, Video Conferencing Camera, Welding Goggles for Eye Protector as per IS 5983, Ophthalmic auto refractometer, Industrial Switch, Impact socket

Searched String: CIRCUIT PROTECTOR CP30FM-1P015

Bluetooth Speakers, Special Proofed Canvas / Duck as per IS 6803, Online UPS (V2), Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stainless Steel Pole Mounted Stainless Steel Dustbin, Video Conferencing Camera, Welding Goggles for Eye Protector as per IS 5983, Ophthalmic auto refractometer, Industrial Switch, Impact socket

Searched String: BREAKER BW50AAG-3P050

Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, Bucket Mop Wringer Trolley, SF6 Circuit Breaker, 72.5 kV (V2), Electrical Box Extension (V2)

Searched String: LEAKAGE BREAKER EW32AAG2P10C 100mA

Earth Leakage Circuit Breaker (ELCB), Online UPS (V2), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Stainless Steel Pole Mounted Stainless Steel Dustbin, Miniature Circuit Breakers Distribution Boards as per IS 13032, Multicore Cable as per IS 694, Cat 6 Patch cord, Motor Protection Circuit Breaker (MPCB)

Searched String: LEAKAGE BREAKER EW32AAG3P15C 100mA

Bid Details/As per	Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032, Multicore Cable as per IS 694, Stainless Steel Pole Mounted Stainless Steel Dustbin, Motor Protection Circuit Breaker (MPCB), Allen Bolt, Online UPS (V2)
	<p>Searched String: MAGNETIC SWITCH SW-0/2E,AC100V,0.95A</p> <p>Online UPS (V2), Layer 2 Access Switch (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Battery Charger, Heavy Duty, Respirable Dust Sampler as per IS 5182, Line Interactive UPS with AVR (V2), Reciprocating Air Compressors - Electric Motor Driven, books, Saw Blades or Hacksaw Blades as per IS 2594</p> <p>Searched String: MAGNETIC SWITCH SW-0/2E,AC100V,1.7A</p> <p>Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, books, Switch Mode Power Supply (SMPS) as per IS 14886:, Layer - 2 Access Switch for Railways, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Online UPS (V2), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Line Interactive UPS with AVR (V2)</p> <p>Searched String: MAGNETIC SWITCH SW-0/2E,AC100V,2.8A</p> <p>Layer 2 Access Switch (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Switch Mode Power Supply (SMPS) as per IS 14886:, modular electrical switches and accessories, PCR Tubes, Minifuge, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Battery Charger, Heavy Duty</p> <p>Searched String: MAGNETIC SWITCH SW-0/2E,AC100V,9A</p> <p>Online UPS (V2), Layer 2 Access Switch (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, modular electrical switches and accessories, Reciprocating Air Compressors - Electric Motor Driven, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Battery Charger, Heavy Duty, Respirable Dust Sampler as per IS 5182, Line Interactive UPS with AVR (V2)</p> <p>Searched String: MAGNETIC SWITCH SW-0RM/2E,AC100V,0.8A</p> <p>Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Layer 2 Access Switch (V2), Online UPS (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, PCR Tubes, Minifuge, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Battery Charger, Heavy Duty, Line Interactive UPS with AVR (V2), Respirable Dust Sampler as per IS 5182</p> <p>Searched String: MAGNETIC SWITCH SW-</p>

Bid Details/बिड विवरण	ORM/2E,AC100V,0.48A
	<p>Online UPS (V2), Layer 2 Access Switch (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Battery Charger, Heavy Duty, Respirable Dust Sampler as per IS 5182, Line Interactive UPS with AVR (V2), books, Reciprocating Air Compressors - Electric Motor Driven, Saw Blades or Hacksaw Blades as per IS 2594</p> <p>Searched String: MAGNETIC SWITCH SW-0,AC100V,0.15A</p> <p>Online UPS (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Cat 6 Patch cord, Oxygen Flow Meter, Electric Kettles and Jugs for Household as per IS 367, Switch Mode Power Supply (SMPS) as per IS 14886:, books, Saw Blades or Hacksaw Blades as per IS 2594, galvanized steel chain link fence fabric as per IS 2721, Respirable Dust Sampler as per IS 5182</p> <p>Searched String: MAGNETIC SWITCH SW-0/2E,AC100V,0.1A</p> <p>Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Line Interactive UPS with AVR (V2), Online UPS (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Minifuge, Electric Kettles and Jugs for Household as per IS 367, Digital Light Meter, Layer 2 Access Switch (V2)</p> <p>Searched String: AUXILIARY CONTACT SZ-A20</p> <p>Auxiliary Contactor (BHEL), Cylindrical Roller Bearing as per IS 6455, Switch Mode Power Supply (SMPS) as per IS 14886:, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987</p> <p>Searched String: CONTACTOR SC-N2 AC100V</p> <p>Rubber Gloves for Electrical Purposes as per IS 4770, Deltamethrin 2.5% SC (Flow), Stainless Steel Pole Mounted Stainless Steel Dustbin, Geological compass, Multicore Cable as per IS 694, Vacuum Contactor, Switch Mode Power Supply (SMPS) as per IS 14886:, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, books, Split Air Conditioner Including Green AC, Wall Mount Type (V2)</p> <p>Searched String: Contactor KIT (SC-0) FUJI Make</p> <p>Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years</p> <p>Searched String: INTERLOCK UNIT (SZ-RM)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MAGNETIC CONTACTOR SC-4-1,AC100V</p> <p>Power Contactors as per IS 13947 - 4 - 1, Split Air Conditioner Including Green AC, Wall Mount Type (V2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Power Factor Meter - Digital, Control Contactors-IS:13947, 4 channel heat therapy unit with vibration and Magnetism, Disconnectors (Isolators) for working voltage up to and</p>

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bid Details/اسرار

including 1 KV

Searched String: MAGNETIC CONTACTOR SH-4H, (2a2b),AC100V

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Dry Erase Writing Boards (V3), conference folder, Switch Mode Power Supply (SMPS) as per IS 14886:, Split Air Conditioner Including Green AC, Wall Mount Type (V2), RCC Guard stone Type B (Cement or concrete posts), 4 channel heat therapy unit with vibration and Magnetism, Disconnectors (Isolators) for working voltage up to and including 1 KV, books

Searched String: Electromagnetic contactorSC-4-1.AC200V

N-(1-Naphthyl)ethylenediamine, Rubber Gloves for Electrical Purposes as per IS 4770, Power Contactors as per IS 13947 - 4 - 1, Electromagnetic Yoke Machine, Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Sieve Shaker, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Server, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4)

Searched String: SOLID STATE CONTACTOR SS032-1-D5/F/T

Hard disk drives

Searched String: THERMAL RELAY TR-0N , 0.15A

Online UPS (V2), books, Oxygen Flow Meter, Electric Kettles and Jugs for Household as per IS 367, Saw Blades or Hacksaw Blades as per IS 2594, galvanized steel chain link fence fabric as per IS 2721, Cat 6 Patch cord, Ring Binder - File Folder, Switch Mode Power Supply (SMPS) as per IS 14886:, Plotter Printers (V2)

Searched String: FUJI CONTACTOR SC-5-1

Power Contactors as per IS 13947 - 4 - 1, Isoprothiolane, Variable Voltage Variable Frequency Drive, L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), modular electrical switches and accessories, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Temperature Controller, Test Sieves as per IS 460 (Part 1 and Part 2), Battery Cell as per IS 9128, IS 8144, Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years

Searched String: Reflector R-7

Ambulances - R, Desktop Computers, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Slippers, Lactose TTC Agar with Tergitol 7, Executive Table (V2), Binet Kamat Intelligence Test - Revised (BKT-R), books, Inkjet Printable Media Disc, Sofas (V2)

Searched String: Breaker BW32AAG-2P030

Glass Ampoule Breaker, Waste Containers and Accessories - Domestic (V2), Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Bucket Mop Wringer Trolley, Rubber Speed Breaker, Laminar air flow cabinets or stations, SF6 Circuit Breaker, 72.5 kV (V2), Molded Case

Bid Details/اس ٲاٲاٲ	Circuit Breakers (MCCB) as per IS / IEC 60947
	<p>Searched String: Circuit Protector CP30FM-2P015</p> <p>Waste Containers and Accessories - Domestic (V2), Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Online UPS (V2), Stainless Steel Pole Mounted Stainless Steel Dustbin, Video Conferencing Camera, Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Ophthalmic auto refractometer, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, books</p> <p>Searched String: Breaker BW63EAG-3P060</p> <p>Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, Bucket Mop Wringer Trolley, SF6 Circuit Breaker, 72.5 kV (V2), Electrical Box Extension (V2)</p> <p>Searched String: Breaker BW32AAG-3P030</p> <p>Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, Bucket Mop Wringer Trolley, SF6 Circuit Breaker, 72.5 kV (V2), Electrical Box Extension (V2)</p> <p>Searched String: Breaker BW32AAG-3P020</p> <p>Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, Bucket Mop Wringer Trolley, SF6 Circuit Breaker, 72.5 kV (V2), Electrical Box Extension (V2)</p> <p>Searched String: Breaker BW32AAG-3P010</p> <p>Glass Ampoule Breaker, Public Place Seating Chair, Speed Breaker (V2), Circuit Breakers for DC Operation, Air Circuit Breaker, Desktop Computers, Rubber Speed Breaker, Bucket Mop Wringer Trolley, SF6 Circuit Breaker, 72.5 kV (V2), Electrical Box Extension (V2)</p> <p>Searched String: Magnetic Switch SW-N3/2E,AC100V,28A</p> <p>Switch Fuse Unit, Magnetic Oil Gauge, modular electrical switches and accessories, Switch Mode Power Supply (SMPS) as per IS 14886:, Polypropylene Ropes as per IS 5175, conference folder, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Stainless Steel Pole Mounted Stainless Steel Dustbin, Digital Earth Resistance Meter as per IS 9000, Online UPS (V2)</p> <p>Searched String: Magnetic Contactor SC-0 AC100V 1A</p> <p>Online UPS (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Line Interactive UPS with AVR (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, books, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p>

Bid Details/اس ٲاٲاٲ	<p>Searched String: Magnetic Contactor SC-0 AC100V 1B</p>
	<p>Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Online UPS (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Line Interactive UPS with AVR (V2), books, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Light emitting diode driver, Milliammeter-IS:1248</p> <p>Searched String: Solid State Relay RB105-DE</p> <p>Solid State Potentiometer, Internal Storage Device (SSD/HDD), Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, books, USB Type External Solid State Drive Capacity Greater than 256 GB, USB Type External Solid State Drive Capacity up to and Including 256 GB, Time delay relay, Hard disk drives, Castor de Oiled Cake, Decomposter for solid waste management</p> <p>Searched String: Relay SSR RE0D-DE (DC24V)</p> <p>Time delay relay, Online UPS (V2), SOVP Device for Street light Pole Mounted, Double Hex Sockets, Modular Table, Open Jaw Wrenches (Spanners) as per IS 2028, books, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, CAT 6 Cable for Outdoor, Switch Mode Power Supply (SMPS) as per IS 14886:</p> <p>Searched String: Thermal Relay TK-5-1NH 0.24A</p> <p>Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Earth Fault Relay Educational Kit, Electric Kettles and Jugs for Household as per IS 367, books, Line Interactive UPS with AVR (V2), Temperature Indicator for Transformers - Analog type, Switch Mode Power Supply (SMPS) as per IS 14886:, Static Protective Relays, Overload Relay, Relay Module</p> <p>Searched String: Leakage Breaker EW32AAG-3P015A 100mA</p> <p>Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Blood Sample Collection Tubes, Miniature Circuit Breakers Distribution Boards as per IS 13032, Multicore Cable as per IS 694, Stainless Steel Pole Mounted Stainless Steel Dustbin, Motor Protection Circuit Breaker (MPCB), Allen Bolt</p> <p>Searched String: Magnetic Switch SW-0 AC200V 1.7A</p> <p>modular electrical switches and accessories, Magnetic Oil Gauge, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Online UPS (V2), Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Plotter Printers (V2), Dusk to Dawn Controller - Sensitive Switch, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932</p> <p>Searched String: Magnetic Contactor SC20AA</p>

Bid Details/बिड विवरण	Vacuum Contactor, Cleaning Duster (V2), CONTACTOR RELAY, Auxiliary Contactor (BHEL), Bucket Mop Wringer Trolley, Magnetic Lifter, Magnetic Stand, magnetic stirrers, Online UPS (V2), Magnetic Gradiometer Searched String: Contactor SC-N3 Vacuum Contactor, Public Place Seating Chair, CONTACTOR RELAY, Buprofezin 25 % SC, Desktop Computers, Chlorantraniliprole 18.5% SC, Fiber Optic Patch Cord, Dimilin 22 SC, Bucket Mop Wringer Trolley, Flubendiamide 39.5% SC Searched String: Illuminated pushbutton EAO 31-131.022 Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Layer 2 Access Switch (V2) • Inductive Proximity Sensor • LVDT Sensor
BOQ Title/बीओक्यू शीर्षक	Spares of UNO cutpak 5
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Optical Fibre E32-D221B 2M 39
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	1221874
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No

Bid Details/बिड विवरण**Mediation Clause**

No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक

State Bank of India

EMD Amount/ईएमडी राशि

24440

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक

State Bank of India

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)

5.00

Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).

18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

The General Manager
Bank Note Press Dewas MP 455001
(Kedarnath Mahapatra)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

No

Details of the Competent Authority for MII

Name of Competent Authority

Santosh Late

Designation of Competent Authority

For CPSO

Office / Department / Division of Competent Authority

BNP Dewas

CA Approval Number

07122024

Competent Authority Approval Date

07-12-2024

Brief Description of the Approval Granted by Competent Authority

Exempted as per revised MII guidelines issued by Govt. of India recently vide order dated 19 July 2024 being foreign machinery spares

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Optical Fibre E32-D221B 2M 39

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	120

PROXIMITY SENSOR E2S-W11 1M**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	-----------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	120

Retro Reflective Laser Sensor HEAD LVH62

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	120

FIBER SENSOR HEAD LV-N11N

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	120

LEAKAGE BREAKER EW250RAGU-3P125C**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

BREAKER BW250EAGU-3P150**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

BREAKER BW32AAG-2P015**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

CIRCUIT PROTECTOR CP30FM-1P025**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

CIRCUIT PROTECTOR CP30FM-1P015

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

BREAKER BW50AAG-3P050

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

LEAKAGE BREAKER EW32AAG2P10C 100mA

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

LEAKAGE BREAKER EW32AAG3P15C 100mA

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 2E AC100V 0 Point 95A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 2E AC100V 1 Point 7A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 2E AC100V 2 Point 8A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 2E AC100V 9A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-ORM 2E AC100V 0 Point 8A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0RM 2E AC100V 0 Point 48A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 AC100V 0 Point 15A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC SWITCH SW-0 2E AC100V 0 Point 1A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

AUXILIARY CONTACT SZ-A20

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

CONTACTOR SC-N2 AC100V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	-----------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Contactor KIT SC-0

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	120

INTERLOCK UNIT SZ-RM

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC CONTACTOR SC-4-1 AC100V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

MAGNETIC CONTACTOR SH-4H 2a2b AC100V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Electromagnetic ContactorSC-4-1 Point AC200V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

SOLID STATE CONTACTOR SS032-1-D5 F T**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

THERMAL RELAY TR-ON 0 Point 15A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

FUJI CONTACTOR SC-5-1

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Reflector R-7

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	120

Breaker BW32AAG-2P030

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Circuit Protector CP30FM-2P015

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Breaker BW63EAG-3P060

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Breaker BW32AAG-3P030

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Breaker BW32AAG-3P020**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Breaker BW32AAG-3P010**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Magnetic Switch SW-N3 2E AC100V 28A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Magnetic Contactor SC-0 AC100V 1A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Magnetic Contactor SC-0 AC100V 1B

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Solid State Relay RB105-DE

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	120

Relay SSR RE0D-DE DC24V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	-----------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	120

Thermal Relay TK-5-1NH 0 Point 24A

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Leakage Breaker EW32AAG-3P015A 100mA

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Magnetic Switch SW-0 AC200V 1 Point 7A**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Magnetic Contactor SC20AA**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Contactor SC-N3**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Illuminated Pushbutton EAO 31-131 Point 022**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	120

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

The General Manager, Bank Note Press Dewas
payable at
Dewas

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

4. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

The General Manager, Bank Note Press Dewas
payable at

Dewas

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

The General Manager, Bank Note Press Dewas
payable at
Dewas

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

The General Manager, Bank Note Press Dewas
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Payment Terms: 100 % payment will be done after receipt of satisfactory report from user department and on production of all required documents by the firm. The Payment will be done through RTGS only

Paying Authority: HOD (F&A) / Manager (F&A)

The firm has to submit bank details along with invoice mentioning-

Beneficiary name:

Account Number :

IFSC code :

Address and Branch Details:

2. The bidder firm should meet following eligibility criteria to qualify:

(a). For MSE/Start-up firm: Capability - Equipment & Manufacturing Facilities: The bidder firm should have capability to manufacture and supply of tendered item.

(b). For other firm - Experience and past performance: The bidder firm may be manufacturer/Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

Note: Participating bidder needs to submit all related documents along with the bid.

- 3. Liquidated Damages:** If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods' or services' contract price(s).
- 4. GST return:** The Supplier should file the GST returns for outward supplies in time. In case of any input credit loss to BNP by way of their failure to file GST returns in time, BNP reserves the right to withhold the payment of further supplies till production of evidence of filing of returns.
- 5. Ministry of Finance, Department of Expenditure, Public Procurement Division, Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from specified countries shall be applicable to this tender. Salient features of this are:**

I. Any bidder from a country which shares a land border with India (excluding countries as listed on the website of Ministry of External Affairs, to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects) will be eligible to bid in this tender only if the bidder is registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). The bidders shall all enclose following certificate in this regard:

"We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfill all requirements in this regard and are eligible to be considered."

II. In tenders for Turnkey contracts including Works contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is similarly registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). In such cases the bidders shall enclose following certificate:

"We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and do not sub-contracting to contractors from such countries,; and solemnly certify that we are not

ot from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed) and we will not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfill all requirements in this regard and are eligible to be considered.”

III. “Bidder” (including the term ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.

IV. “Bidder from a country which shares a land border with India” for the purpose of this Order means:-

- (a) An entity incorporated, established, or registered in such a country; or
- (b) A subsidiary of an entity incorporated, established, or registered in such a country; or
- (c) An entity substantially controlled through entities incorporated, established, or registered in such a country; or
- (d) An entity whose beneficial owner is situated in such a country; or
- (e) An Indian (or other) agent of such an entity; or
- (f) A natural person who is a citizen of such a country; or
- (g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

V. The beneficial owner for the purpose of (III) above will be as under:

(a) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s). Who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

(b) **Explanation-**

1. “Controlling ownership interest” means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company.

2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.

3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

4. Where no natural person is identified under (1) or (2) or (3) above

e, the beneficial owner is the relevant natural person who holds the position of senior managing official.

5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

VI. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

6. Documents Checklist:- The participating bidder shall also submit the documents as per following mentioned order:-

- (i) Seal & signed Bid/Tender document as an unconditional acceptance of all terms & conditions of bid.
- (ii) Seal & signed technical specifications.
- (iii) Latest Udyam Certificate, if bidder is claiming any benefits against MSE Policy.
- (iv) Undertaking/Declaration certificate that you are currently not suspended/Banned/Blacklisted by any ministry/ department of govt. of India or by any state govt. for business dealing.

7. By participating in this tender, the suppliers/Vendors/Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.

8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---