

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-11-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-11-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Finance
विभाग का नाम/Department Name	Department Of Economic Affairs
संगठन का नाम/Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम/Office Name	Madhya Pradesh
कुल मात्रा/Total Quantity	232
वस्तु श्रेणी /Item Category	Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455 (Q3)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	212508
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	10.0 (millimeter)
	Designation of Bearing	6200
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensure	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	24	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	12.0 (millimeter)
	Designation of Bearing	6201
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	24	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	15.0 (millimeter)
	Designation of Bearing	6202
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	24	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	17.0 (millimeter)
	Designation of Bearing	6203
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	24	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	20.0 (millimeter)
	Designation of Bearing	6204
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	12	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	25.0 (millimeter)
	Designation of Bearing	6205
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	12	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	40.0 (millimeter)
	Designation of Bearing	6208
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	12	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	45.0 (millimeter)
	Designation of Bearing	6209
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	12	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	60.0 (millimeter)
	Designation of Bearing	6212
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	65.0 (millimeter)
	Designation of Bearing	6213
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	20.0 (millimeter)
	Designation of Bearing	6304
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	25.0 (millimeter)
	Designation of Bearing	6305-2RS
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	30.0 (millimeter)
	Designation of Bearing	6306
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	40.0 (millimeter)
	Designation of Bearing	6308
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	45.0 (millimeter)
	Designation of Bearing	6309
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	50.0 (millimeter)
	Designation of Bearing	6310
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	55.0 (millimeter)
	Designation of Bearing	6311
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	60.0 (millimeter)
	Designation of Bearing	6312
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Bearing Type	Single Row Deep Groove Ball Bearing
	Flange Outer Ring	Without
	Bearing bore diameter, d (In mm)	65.0 (millimeter)
	Designation of Bearing	6313
	Bearing outside diameter, D	As per Table 1 Clause 4.2.1 of IS 6455
	Bearing width, B	As per Table 1 Clause 4.2.1 of IS 6455
	Smallest permissible chamfer dimension, r1s, r2s	As per Table 1 Clause 4.2.1 of IS 6455
	Cage Material	Press Steel
Certification, Testing & Warranty	Conformity to Indian Standard	As per IS 6455
	Warranty for complete unit	1, 2, 3 Or higher (year)

Additional Specification Parameters - Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) As Per IS 6455 (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
One of the following Make to be ensured	FAG, INA, SKF, NKT, NTN, NBC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	8	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at

the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Payment Terms: 100 % payment will be done after receipt of satisfactory report from user department and on production of all required documents by the firm. The Payment will be done through RTGS only.

Paying Authority: HOD (F&A) / Manager (F&A)

The firm has to submit bank details along with invoice mentioning-

Beneficiary name:

Account Number :

IFSC code :

Address and Branch Details:

2. Liquidated Damages: If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods' or services' contract price(s).

3. GST return: The Supplier should file the GST returns for outward supplies in time. In case of any input credit loss to BNP by way of their failure to file GST returns in time, BNP reserves the right to withhold the payment of further supplies till production of evidence of filing of returns.

4. GIT & GCC: Bidders are requested to go through link provided below regarding GIT (General instructions to Tenderer) & GCC (General conditions of contract) and submit an undertaking that bidder has read & unconditionally accepted all the clauses of GIT & GCC. In case if there is any contradictory provision between GeM GTC and SPMCIL GIT & GCC then provision given in GIT & GCC of SPMCIL shall prevail.

GIT Link: <https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf>

GCC Link: <https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf>

5. Land border sharing clause: Bidders should submit undertaking regarding Compliance of Restrictions under Rule 144 (xi) of GFR 2017 as per DOE Order (Public Procurement No.4) dated 23.02.2023 (as amended from time to time) regarding restrictions on procurement from a bidder of a country which shares a land border with India as follows:

Undertaking regarding of Land Border Sharing Clause

To,

M/s Security Printing and Minting Corporation of India Limited

Ref: - GEM/BID/2025/B/XXXXXX Dated : - XX/XX/XXXX

Dear Sir,

We have read the clause regarding provisions for procurement from a Bidder which share a land border with India, we certify that, bidder M/s (Name of Bidder) is:

(i) Not from such a country []

(ii) If from such a country, has been registered

with the Competent Authority. []

(Evidence of valid registration by the

Competent Authority shall be attached)

(Bidder is to tick appropriate option () above.

We hereby certify that bidder M/s (Name of Bidder) fulfills all requirement in this regard and is eligible to be considered against the tender.

{Signature of Authorized Signatory of Bidder}

Name : _____

Designation : _____

Seal :

6. Warrantee clause:

a. The supplier warrants that the goods supplied under the contract is new, unused, and incorporate all recent improvements in design and materials unless prescribed otherwise by SPMCIL in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and / or the material used are as per SPMCIL's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.

b. This warranty shall remain valid for twelve Months after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by SPMCIL in terms of the contract.

c. In case of any claim arising out of this warranty, SPMCIL shall promptly notify the same in writing to the supplier.

d. Upon receipt of such notice, the supplier shall, with all reasonable speed (or within the period, if specified in the SCC), repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPMCIL for such replaced parts/ goods thereafter.

e. In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPMCIL.

f. If the supplier, having been notified, fails to rectify/ replace the defect(s) within a reasonable period (or within the period, if specified in the SCC), SPMCIL may proceed to take such remedial action(s) as deemed fit by SPMCIL, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPMCIL may have against the supplier.

7. ZED & LEAN Certification: Government of India has launched scheme for obtaining ZED and LEAN ce

rtification to MSE vendors. Accordingly bidders are requested to obtain these certification to ensure minimum wastage in production process which shall ultimately result In cost cutting and improvement in efficiency. For further clarification & assistance bidders are requested to go through website of ZED and LEAN certification scheme, links of which are as follows:

ZED: <https://zed.msme.gov.in/>

LEAN: <https://lean.msme.gov.in/>

8. Documents Checklist:- The participating bidder shall also submit the documents as per following mentioned order:-

- (i) Seal & signed Bid/Tender document as an unconditional acceptance of all terms & conditions of bid.
- (ii) Catalogue of the offered product.
- (iii) Latest Udyam Certificate (for the tendered product), if bidder has applied for claiming any benefit as per MSE Policy.
- (iv) Undertaking/Declaration certificate that you are currently not suspended/Banned/Blacklisted by any ministry/ department of govt. of India or by any state govt. for business dealing.
- (v) Declaration about land border sharing as per format above.
- (vi) Acceptance of GCC & GIT.

9. Anti-bribery clause: By participating in this tender, the suppliers/Vendors/Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---