

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-04-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-04-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Finance
विभाग का नाम/Department Name	Department Of Economic Affairs
संगठन का नाम/Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम/Office Name	Madhya Pradesh
कुल मात्रा/Total Quantity	169
वस्तु श्रेणी /Item Category	CONTACTOR SK22G 24VDC NO , CONTACTOR SK12L 24VDC NO , CONTACTOR SZIKRM 24VDC NO , Thermal Relay TK12 1 point 7A 2 point 6A , Thermal Relay TK 0N 1 point 7 2 6A , Thermal Relay TK 0N 0 point 8 1 point 2A , Thermal Relay TK 0N 0 point 95A 1 point 45A , Thermal Relay TK 0N 0point 48 0 point 72A , Thermal Relay TK 0N 0 point 36 0 point 54A , Thermal Relay TK 5 1N 0point 36A 0point 54A , Thermal Relay TK 0N 9 3A , Thermal Relay TK-0N 2 point 8 4 point 2A , Thermal Relay TK 0N 0 point 2A 0 point 3A , Thermal Relay TK 5 1N 0 point 24 0 point 36A , Thermal Relay TK12 4A 6A , Contactor KIT SC 0 , Contactor KIT SC 5 1 , Solid State Relay RB105 DE , MAGNETIC CONTACTOR SJ 1SG , CONTROL RELAY Roller Brake AHJ38211 , POWER SUPPLY 24 VDC S8JX N05024 , Limit Switch Z15GW2255 B , VACUUM SENSOR HEAD AP 41 , VACUUM SENSOR HEAD AP 43 , PHOTOELECTRIC SENSOR PZ M31 , Control Unit CU 21A , Relay G2R 1 24VDC , Relay G2R 2 SH 200 220VAC , Power Supply S8FS G05024C , Sensor VUS12 6US C50 , VACUUM GENERATOR VYH07 666F , Proximity Switch SIEN M5B PS K L , Reed Siwtch D A93 3519 , Proximity SME 8 ZS KL LE 171169 HD13 , Foot Switch OFL S P2 B , Relay M Model HJ2 DC24V 6 AHJ322230 , Reflex Sensor YK12PA7S861 , VENTILATION FAN PF 121 2 , COOLING FAN PF 091C 2 , INVERTER FR E720 0 point 2K NC

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

CONTACTOR Make: FUJI ; Model: SK22G ; 24VDC, NO Contact, Contactor Make: FUJI; Model: SK12L; 24VDC, NO Contact, Contactor Make: FUJI; Model: SZIKRM; 24VDC, NO Contact, Thermal Relay Make: FUJI; Model: TK12; Range: 1.7A to 2.6A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 1.7A to 2.6A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.8A to 1.2A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.95A to 1.45A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.48A to 0.72A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.36A to 0.54A, Thermal Relay Make: FUJI; Model: TK-5-1N; Range: 0.36A to 0.54A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 9A to 13A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 2.8A to 4.2A, Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.2A to 0.3A, Thermal Relay Make: FUJI; Model: TK-5-1N; Range: 0.24A to 0.36A, Thermal Relay Make: FUJI; Model: TK12; Range: 4A to 6A, CONTACTOR KIT (SC-0) Item Code: SZ-MC/SC-0, All Moving and stationary contact of the Contactor Model No. SC-0 FUJI MAKE , All Moving and stationary contact of the Contactor Model No. SC-5-1 FUJI MAKE, Relay Make: Fuji, Model: RB105-DE, DC 24V, MAGNETIC CONTACTOR Model: SJ-1SG, CONTROL RELAY (Roller Brake) Model: AHJ38211, POWER SUPPLY (24 VDC) Model: S8JX-N05024, Limit Switch Model: Z15GW2255-B, VACUUM SENSOR (HEAD) Model: AP-41, Make: Keyence, VACUUM SENSOR (HEAD) Model: AP-43, Make: Keyence, PHOTOELECTRIC SENSOR Model: PZ-M31, Make: Keyence, Control Unit Make: Keyence; Model: CU-21A, Relay Make: OMRON, Model: G2R-1,24VDC TV-3,120VAC IEC 255,10A 250VAC, Relay Make: Omron,Model: G2R-2-SH, Power Supply Make: OMRON; Model: S8FS-G05024C, Sensor Make: PISCO, Model: VUS12-6US-C50, VACUUM GENERATOR Make: PISCO,Model: VYH07-666F, Proximity Switch Make: FESTO,Type: SIEN-M5B-PS-K-L, Reed Switch Make: SMC,Type: D-A93 3519, Proximity Switch Make: Festo,Model: SME-8-ZS-KL-LE 171169 HD13, Foot Switch Model: OFL-S-P2-B, Relay (M) Model: HJ2-DC24V-6; AHJ322230, Reflex Sensor Make: Wenglor, Model: YK12PA7S861, VENTILATION FAN Make: NITTO,Model: PF-121-2, COOLING FAN Make: NITTO, Model: PF-091C-2, Inverter Make: Mitsubishi, Model: FR-E720-0.2K(NC)

Searched String: CONTACTOR Make: FUJI ; Model: SK22G ; 24VDC, NO Contact
 Category not available on GeM for the text string uploaded by the buyer
Searched String: Contactor Make: FUJI; Model: SK12L; 24VDC, NO Contact
 Category not available on GeM for the text string uploaded by the buyer
Searched String: Contactor Make: FUJI; Model: SZIKRM; 24VDC, NO Contact
 Category not available on GeM for the text string uploaded by the buyer
Searched String: Thermal Relay Make: FUJI; Model: TK12; Range: 1.7A to 2.6A

बिड विवरण / Bid Details	Bond Paper (V3) Conforming to IS 1848 (Part 1), Yearly Planners (V2), Plain Copier Paper (V3) ISI Marked to IS 14490
	<p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 1.7A to 2.6A</p> <p>Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Transformer Turns Ratio Test Set (BHEL), Liquid Paraffin for Cosmetic Industry (V2) Conforming to IS 7299</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.8A to 1.2A</p> <p>Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Ferromanganese (V3) Conforming to IS 1171, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Temperature Indicator for Transformers - Analog type</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.95A to 1.45A</p> <p>Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Ferromanganese (V3) Conforming to IS 1171, Temperature Indicator for Transformers - Analog type</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.48A to 0.72A</p> <p>Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Battery Charger, Heavy Duty, Writing and Printing Papers Conforming to IS 1848 (Part 1), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658, Ferromanganese (V3) Conforming to IS 1171, Temperature Indicator for Transformers - Analog type, Bond Paper (V3) Conforming to IS 1848 (Part 1)</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 0.36A to 0.54A</p> <p>Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Battery Charger, Heavy Duty, Writing and Printing Papers Conforming to IS 1848 (Part 1), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658, Ferromanganese (V3) Conforming to IS 1171, Temperature Indicator for Transformers - Analog type, Bond Paper (V3) Conforming to IS 1848 (Part 1)</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-5-1N; Range: 0.36A to 0.54A</p> <p>Temperature Indicator for Transformers - Analog type, Transformer Turns Ratio Test Set (BHEL), Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 9A to 13A</p> <p>Ferromanganese (V3) Conforming to IS 1171, Transformer Turns Ratio Test Set (BHEL)</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N; Range: 2.8A to 4.2A</p> <p>Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-0N;</p>

बिड विवरण / Bid Details	Range: 0.2A to 0.3A
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Digital Light Meter, Battery Charger, Heavy Duty, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Writing and Printing Papers Conforming to IS 1848 (Part 1), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658, Ferromanganese (V3) Conforming to IS 1171, Temperature Indicator for Transformers - Analog type, Bond Paper (V3) Conforming to IS 1848 (Part 1)</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK-5-1N; Range: 0.24A to 0.36A</p> <p>Temperature Indicator for Transformers - Analog type, Transformer Turns Ratio Test Set (BHEL), Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061</p> <p>Searched String: Thermal Relay Make: FUJI; Model: TK12; Range: 4A to 6A</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CONTACTOR KIT (SC-0) Item Code: SZ-MC/SC-0</p> <p>Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years</p> <p>Searched String: All Moving and stationary contact of the Contactor Model No. SC-0 FUJI MAKE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: All Moving and stationary contact of the Contactor Model No. SC-5-1 FUJI MAKE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Relay Make: Fuji, Model: RB105-DE, DC 24V</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MAGNETIC CONTACTOR Model: SJ-1SG</p> <p>Lyophilizer, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Overload Relay, 1.5 T MRI Machine, Magnetic Flexible Pickup Tool, Magnetic Stand, Thermal Conductivity Apparatus for liquid, solar lantern systems white light emitting diode</p> <p>Searched String: CONTROL RELAY (Roller Brake) Model: AHJ38211</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: POWER SUPPLY (24 VDC) Model: S8JX-N05024</p> <p>Switch Mode Power Supply (SMPS) as per IS 14886:, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Shoes Black Non-Slip for Camouflage Rig ICG</p>

बिड विवरण/Bid Details **Searched String:** Limit Switch Model: Z15GW2255-B

Limit Switch, limit switch(NPCIL), Roller lever Limit Switch, Recirculating chiller, Electrical Extension Box (V4), Lyophilizer, Layer 2 Access Switch (V2), Gamjee Rolls / Pads (V2), Power Generator - DG Set (up to 900 KVA), RCC Guard stone Type B (Cement or concrete posts)

Searched String: VACUUM SENSOR (HEAD) Model: AP-41, Make: Keyence

Category not available on GeM for the text string uploaded by the buyer

Searched String: VACUUM SENSOR (HEAD) Model: AP-43, Make: Keyence

Category not available on GeM for the text string uploaded by the buyer

Searched String: PHOTOELECTRIC SENSOR Model: PZ-M31, Make: Keyence

Photoelectric Sensor

Searched String: Control Unit Make: Keyence; Model: CU-21A

Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)

Searched String: Relay Make: OMRON, Model: G2R-1,24VDC TV-3,120VAC IEC 255,10A 250VAC

Category not available on GeM for the text string uploaded by the buyer

Searched String: Relay Make: Omron, Model: G2R-2-SH

Lyophilizer, Photoelectric Sensor, Recirculating chiller, nabilizer, Go Cast Making Machine (V2)

Searched String: Power Supply Make: OMRON; Model: S8FS-G05024C

Switch Mode Power Supply (SMPS) as per IS 14886:, Solar Lamps (Solar Based Home Systems - Solar Power Packs - DC Models)

Searched String: Sensor Make: PISCO, Model: VUS12-6US-C50

Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL), White LED Based Solar Street Lighting System for Model (I, II, III And IV), Solar Micro Pumping Systems as per MNRE Specification, Desk and Bench Set for Classroom/Training Area, Recirculating chiller, Staplers (V2)

Searched String: VACUUM GENERATOR Make: PISCO, Model: VYH07-666F

Category not available on GeM for the text string uploaded by the buyer

Searched String: Proximity Switch Make: FESTO, Type: SIEN-M5B-PS-K-L

विड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: Reed Switch Make: SMC,Type: D-A93 3519</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Proximity Switch Make: Festo,Model: SME-8-ZS-KL-LE 171169 HD13</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Foot Switch Model: OFL-S-P2-B</p> <p>Argon Plasma Coagulator with ESU</p> <p>Searched String: Relay (M) Model: HJ2-DC24V-6; AHJ322230</p> <p>Lyophilizer, Recirculating chiller, Mobile Storage Compactors, Cotton Bandage Cloth (V2), Circuit Breakers for DC Operation, Fire Hoses with Delivery Coupling, Desk and Bench Set for Classroom/Training Area, Waste Containers and Accessories - Domestic (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Play Ground Merry Go Round (V2)</p> <p>Searched String: Reflex Sensor Make: Wenglor, Model: YK12PA7S861</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VENTILATION FAN Make: NITTO,Model: PF-121-2</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: COOLING FAN Make: NITTO, Model: PF-091C-2</p> <p>Industrial Cooling Fan (Man Coolers) as per IS 6272</p> <p>Searched String: Inverter Make: Mitsubishi, Model: FR-E720-0.2K(NC)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • MCCB With Thermal Magnetic / Microprocessor Based Trip Unit • Digital Temperature Indicator • Battery Charger, Heavy Duty
बीओक्यू शीर्षक / BOQ Title	Electrical spares for UNO cutpak machine
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CONTACTOR SK22G 24VDC NO
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	2495228
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	49900

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	17

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SPMCIL
Bank Note Press
(Collection A/c)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	100
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is

validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

CONTACTOR SK22G 24VDC NO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

CONTACTOR SK12L 24VDC NO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

CONTACTOR SZIKRM 24VDC NO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

Thermal Relay TK12 1 Point 7A 2 Point 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK ON 1 Point 7 2 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	7	90

Thermal Relay TK ON 0 Point 8 1 Point 2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	3	90

Thermal Relay TK 0N 0 Point 95A 1 Point 45A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	4	90

Thermal Relay TK 0N 0point 48 0 Point 72A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Thermal Relay TK 0N 0 Point 36 0 Point 54A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK 5 1N 0point 36A 0point 54A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK 0N 9 3A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK-0N 2 Point 8 4 Point 2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK 0N 0 Point 2A 0 Point 3A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Thermal Relay TK 5 1N 0 Point 24 0 Point 36A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	3	90

Thermal Relay TK12 4A 6A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

Contactor KIT SC 0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	20	90

Contactor KIT SC 5 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	90

Solid State Relay RB105 DE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	20	90

MAGNETIC CONTACTOR SJ 1SG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

CONTROL RELAY Roller Brake AHJ38211

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

POWER SUPPLY 24 VDC S8JX N05024

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

Limit Switch Z15GW2255 B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

VACUUM SENSOR HEAD AP 41

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	90

VACUUM SENSOR HEAD AP 43

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	90

PHOTOELECTRIC SENSOR PZ M31

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	10	90

Control Unit CU 21A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

Relay G2R 1 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Relay G2R 2 SH 200 220VAC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Power Supply S8FS G05024C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

Sensor VUS12 6US C50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

VACUUM GENERATOR VYH07 666F

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Proximity Switch SIEN M5B PS K L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Reed Siwtch D A93 3519

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Proximity SME 8 ZS KL LE 171169 HD13

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

Foot Switch OFL S P2 B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Relay M Model HJ2 DC24V 6 AHJ322230

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

Reflex Sensor YK12PA7S861

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	5	90

VENTILATION FAN PF 121 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

COOLING FAN PF 091C 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	2	90

INVERTER FR E720 0 Point 2K NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Padmajakshan K.S.	455001,General Manager Admin Office , Bank Note Press, Dewas	1	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

SPMCIL Bank Note Press Collection A/c
payable at
Dewas

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

SPMCIL Bank Note Press Collection A/c

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

SPMCIL Bank Note Press Collection A/c
payable at
Dewas

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

SPMCIL Bank Note Press Collection A/c
payable at
Dewas

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides

PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

SPMCIL Bank Note Press Collection A/c

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Payment Terms: 100 % payment will be done after receipt of satisfactory report from user department and on production of all required documents by the firm. The Payment will be done through RTGS only.

Paying Authority: HOD (F&A) / Manager (F&A)

The firm has to submit bank details along with invoice mentioning-

Beneficiary name:

Account Number:

IFSC code:

Address and Branch Details:

2. The bidder firm should meet following eligibility criteria to qualify:

(a). For MSE/Start-up firm: Capability – Equipment & Manufacturing Facilities: The bidder firm should have capability to manufacture and supply of tendered item.

(b). For other firm – Experience and past performance: The bidder firm may be manufacturer/Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

Note: Participating bidder needs to submit all related documents along with the bid.

3. Liquidated Damages: If the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods' or services' contract price(s).

4. GST return: The Supplier should file the GST returns for outward supplies in time. In case of any input credit loss to BNP by way of their failure to file GST returns in time, BNP reserves the right to withhold the payment of further supplies till production of evident of filing of returns.

5. GIT & GCC: Bidders are requested to go through link provided below regarding GIT (General instructions to Tenderer) & GCC (General conditions of contract) and submit an undertaking that bidder has read & unconditionally accepted all the clauses of GIT & GCC. In case if there is any contradictory provision between GeM GTC and SPMCIL GIT & GCC then provision given in GIT & GCC of SPMCIL shall prevail.

GIT Link: <https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf>

GCC Link: <https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf>

6. Land border sharing clause: Bidders should submit undertaking regarding Compliance of Restrictions under Rule 144 (xi) of GFR 2017 as per DOE Order (Public Procurement No.4) dated 23.02.2023 (as amended from time to time) regarding restrictions on procurement from a bidder of a country which shares a land border with India as follows:

Undertaking regarding of Land Border Sharing Clause

To,

M/s Security Printing and Minting Corporation of India Limited

Ref : - GEM/BID/2025/B/XXXXXX Dated : - XX/XX/XXXX

Dear Sir,

We have read the clause regarding provisions for procurement from a Bidder which share a land border with India, we certify that, bidder M/s (Name of Bidder) is:

- (i) Not from such a country []
- (ii) If from such a country, has been registered with the Competent Authority. []
(Evidence of valid registration by the Competent Authority shall be attached)
(Bidder is to tick appropriate option () above.

We hereby certify that bidder M/s (Name of Bidder) fulfills all requirement in this regard and is eligible to be considered against the tender.

{Signature of Authorized Signatory of Bidder}

Name : _____

Designation : _____

Seal :

7. Documents Checklist:- The participating bidder shall also submit the documents as per following mentioned order:-

- (i) Seal & signed Bid/Tender document as an unconditional acceptance of all terms & conditions of bid.
- (ii) Seal & signed technical specifications.
- (iii) Catalogue of the offered product.
- (iv) Latest Udyam Certificate, if bidder is claiming any benefits against MSE Policy.
- (v) Undertaking/Declaration certificate that you are currently not suspended/Banned/Blacklisted by any ministry/ department of govt. of India or by any state govt. for business dealing.
- (vi) Declaration about compliance of land border sharing clause
- (vii) Acceptance of GIT & GCC.
- (viii) MII local content declaration.

8. Anti bribery clause: By participating in this tender, the suppliers/Vendors/Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.

9. Warranty clause:

(a) The supplier warrants that the goods supplied under the contract is new, un used, and incorporate all recent improvements in design and materials unless prescribed otherwise by SPMCIL in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and / or the material used are as per SPMCIL's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.

(b) This warranty shall remain valid for twelve months after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by SPMCIL in terms of the contract.

(c) In case of any claim arising out of this warranty, SPMCIL shall promptly notify the same in writing to the supplier.

(d) Upon receipt of such notice, the supplier shall, with all reasonable speed, repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPMCIL for such replaced parts/ goods thereafter.

(e) In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPMCIL.

(f) If the supplier, having been notified, fails to rectify/ replace the defect(s) within a reasonable period, SPMCIL may proceed to take such remedial action(s) as deemed fit by SPMCIL, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPMCIL may have against the supplier.

(g) Performance Security shall be valid for 60 days beyond the completion of all contractual obligations including warrantee period. Validity shall be extended in case of extension of warrantee.

10. ZED & LEAN Certification: Government of India has launched scheme for obtaining ZED & LEAN certification to MSE vendors. Accordingly bidders are requested to obtain these certification to ensure minimum wastage in production process which shall ultimately result In cost cutting & improvement in efficiency. For further clarification & assistance bidders are requested to go through website of ZED and LEAN certification scheme, links of which are as follows:

ZED: <https://zed.msme.gov.in/>

LEAN: <https://lean.msme.gov.in/>

NOTE: These certification shall not have any impact on eligibility criteria for qualification in tender.

8. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---